CHEMICAL COMPOSITION:

Azadirachtin (a.i.) (min). 01 00% W/W

Others 99.00% W/W

Total: 100,000 % W/W

DIRECTION OF USE

When used as recommended through a high volume sprayer, this product controls the pests effectively. Take the required quantity of the product in some water and stir well. Add the required quantity of water and stir well to form a ready to use spray.

PRECAUTIONS

- 1. Avoid contact of the material with skin.
- 2. Wear protective materials like apron, hood, boots and gloves while spraying
- 3. Do not eat, chew or smoke while spraying.

ANTIDOTE

Treat sympotmatically. Give gastric lavage if swallowed. Call a physician

FIRST AID

SYMPTOMS

Please see the enclosed Leaflet. Please see the enclosed Leaflet

RECOMMENDATIONS

This product is useful for the control of fruit borer of tomato and fruit and shoot borer of brinial.

MANUFACTURED AND MARKETED BY:

Mathura Road, Faridabad-121001, Haryana

SUNSHIV BOTANICS PRIVATE LIMITED Plot No. 5E, Opp. Yamaha Plant, Industrial Area,





Neem Seed Kernel Based EC Containing Azadirachtin- 1% (10000 ppm) min.

> नीम बीज गृहा आधारित ई.सी अजाडिरेक्टिन 1 प्रतिशत (10000 पी.पी.एम) न्यूनतम







बच्चों के पहंच से दर रखें।

Keep out of reach of children.

सखी और ठंडी जगह पर आग से दर रखें

CIR-199644/2022-Neem Seed Kernel Based EC (Containing Azadirachtin) (437)-3242

GOVT. APPROVED

(1)

TO

• U

U

(1)

S

अजाडिरेक्टिन (ए. आई) 1.00 % भार/भार 99.00 % भार/भार 100.000% भार/भार उपयोग के लिये निर्देश अधिक तेज दबाव के छिडकाव द्वारा, घोल और मात्रा के अनुसार प्रयोग करने से उपयोग

रासायनिक संरचना

में दिये गये कीटों की रोकथाम कर सकता है ।। इस पदार्थ की निधारित मात्रा को थोड़े पानी में मिलाकर अच्छी तरह हिलायें, फिर छिडकाव के घोल की मात्रा के मृताबिक बाकि का पानी डालें और अच्छी तरह हिलायें ताकि छिडकाव के लिये तैयार हो जाये ।

प्रयोगकर्ताओं के लिये सावधानियाँ

- 1. सांस से अन्दर न जाने दें, शरीर या महं न लगने दें।
- 2. छिडकाव के बाद दुषित कपड़ों और शरीर के अंगो को अच्छी तरह धोएं।
- 3. छिडकाव के समय धुम्रपान, खाना, पीना और कुछ चबाना नहीं चाहिए।
- 4. छिडकाव करते या मिलाते समय पूर्ण सुरक्षात्मक कपडे पहने।

विषनाशक:

विष लक्षणानसार इलाज करें। गैस्टिक लावेज दें। डाक्टर को बलायें।

प्राथमिक चिकित्सा:

कप्या संलग्न लीफलेट देखें।

लक्षण:

कृप्या संलग्न लीफलेट देखें।

उपयोग-

इसका उपयोग टमाटर में लगने वाले फल छेदक एवं बैंगन में लगने वाला प्ररोह और छेदक के नियंत्रण के लिये होता है।

Regn. No.	CIR-199644/2022
Mfg. Lic. No.	
Batch No.	
Mfg Date	
Exp. Date	1 year from mfg. date
Net Content / Vol	ume 1 Ltr
Max. Retail Price	